

AD-A183 787

APPLICATIONS OF MULTIVALENT IONIC CONDUCTORS TO
POLYMERIC ELECTROLYTE BATTERIES(U) MINNESOTA UNIV
MINNEAPOLIS DEPT OF CHEMICAL ENGINEERING AND M.


1/1

UNCLASSIFIED

J Y CHERNG ET AL. JUL 87 N00014-85-K-0634 F/G 10/3

NL

END
9-87
DTIC



DTIC FILE COPY



AD-A183 707

OFFICE OF NAVAL RESEARCH

Contract N00014-85-K-0634

R & T Code 413d019---01

Replaces Old

Task # 627-850

TECHNICAL REPORT NO. 8

DTIC
ELECTE
AUG 04 1987
S D
CVD

Applications of Multivalent Ionic Conductors
To Polymeric Electrolyte Batteries

by

J.Y. Cherng, B.B. Owens, W.H. Smyrl, and M.Z.A. Munshi
Department of Chemical Engineering and Materials Science
University of Minnesota
Minneapolis, MN 55455

Paper to be presented at
6th International Meeting on Solid State Ionics
Garmisch-Partenkirchen
September 6-11, 1987

Reproduction in whole or in part is permitted for any
purpose of the United States Government

This document has been approved for public release
and sale; its distribution is unlimited

87 8 4 017

ADAKB 707

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Unclassified/Unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S) ONR Technical Report #8		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION Corrosion Research Center	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION Office of Naval Research, Resident Rep.	
6c. ADDRESS (City, State, and ZIP Code) University of Minnesota Minneapolis, MN 55455		7b. ADDRESS (City, State, and ZIP Code) Federal Building, Room 286 536 South Clark Street Chicago, IL 60605-1588	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Office of Naval Research	8b. OFFICE SYMBOL (If applicable) Code 1113	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Contract No. N00014-85-R-0634	
8c. ADDRESS (City, State, and ZIP Code) 800 North Quincey Street Arlington, VA 22217-5000		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO.	PROJECT NO.
		TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) Applications of Multivalent Ionic Conductors to Polymeric Electrolyte Batteries			
12. PERSONAL AUTHOR(S) J. Y. Cherng, B. B. Owens, W. H. Smyrl, M. Z. A. Munshi			
13a. TYPE OF REPORT Technical	13b. TIME COVERED FROM 9/86 TO 8/87	14. DATE OF REPORT (Year, Month, Day) July 1987	15. PAGE COUNT 1
16. SUPPLEMENTARY NOTES Paper to be presented at the 6th International Meeting on Solid State Ionics, Garmisch-Partenkirchen, September 6-11, 1987			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
		divalent conductors, a.c. impedance, cells, polymer electrolytes, magnesium, lead electrolytes, vanadium	
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			
<p>Fast ion conduction has been demonstrated in certain polymer materials doped with an alkali metal salt. Recently divalent salts have also been used in the preparation of ionically conducting polymers. Certain complexes (namely the Mg^{2+} based) were found to be anion conductors while others (namely the Pb^{2+} based) were cation conductors. It is therefore of interest to study the reasons for the apparent difference. A.c. ^{ALTERNATING CURRENT} conductivity measurements are currently being evaluated on a number of polymer divalent salt complexes. Electrochemical cells are being constructed with appropriate cathodes to assess the feasibility of these polymer electrolytes in rechargeable batteries. One such design $Mg/(PEO)_4 \cdot Mg(ClO_4)_2/V_6O_{13}$ has an open circuit voltage of 2V and a theoretical energy density of 346 Wh/kg. Performance of large scale batteries may be derived from the prototype cell studies.</p>			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL Boone B. Owens		22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL (612) 625-1332	

APPLICATIONS OF MULTIVALENT IONIC CONDUCTORS TO POLYMERIC ELECTROLYTE BATTERIES


J.Y. Cherng
B.B. Owens
W.H. Smyrl
M.Z.A. Munshi

Department of Chemical Engineering and Materials Science
Corrosion Research Center
University of Minnesota
221 Church St. SE
Minneapolis, MN 55455

Fast ion conduction has been demonstrated in certain polymer materials doped with an alkali metal salt[1]. Polyethylene oxide (PEO) has been the most widely used polymer. It was found that PEO doped with a lithium salt such as LiCF_3SO_3 could give conductivity values of about 10^{-4} at 100°C [2]. The transport number of the Li^+ ion in these complexes has been found to be less than one. Despite this, the application of polymer electrolytes to solid state batteries has aroused considerable interest worldwide. The main attractive features such as high energy density, ease of fabrication of the battery components, variable geometry and long shelf life have led to proposed applications spanning across the whole battery product range from microelectronics to electric vehicle.

Cells utilizing the monovalent salt-polymer electrolyte, alkali metal anodes and cathodes based on insertion compounds have demonstrated good cycling and good reversibility at 100°C . Attempts have also been made to improve the conductivity of these polymer electrolytes by appropriate modifications for ambient temperature solid state batteries.

Recently divalent salts have also been used in the preparation of ionically conducting polymers [3,4]. Certain complexes (namely the Mg^{2+} based) were found to be anion conductors while others (namely the Pb^{2+} based) were cation conductors. It is therefore of interest to study the reasons for the apparent difference. A.c. conductivity measurements are currently being evaluated on a number of polymer divalent salt complexes. Electrochemical cells are being constructed with appropriate cathodes to assess the feasibility of these polymer electrolytes in rechargeable batteries. One such design



has an open circuit voltage of 2V and a theoretical energy density of 346 Wh/kg. Performance of large scale batteries may be derived from the prototype cell studies.

References

- [1] B.E. Fenton, J.M. Parker and P.V. Wright, *Polymer*, **14**, 589 (1973).
- [2] M.B. Armand, J.M. Chabagno and M.J. Duclot, in "Fast Ion Transport in Solids," Eds. P. Vashista, J.N. Mundy and G.K. Shenoy, p. 131, (North-Holland, New York 1979).
- [3] L.L. Yang, A.R. McGhie and G.C. Farrington, submitted for publication.
- [4] R. Hug, G. Chiodelli, P. Ferloni, A. Magistris and G.C. Farrington, *J. Electrochem. Soc.* **134**, 364 (1987).

Acknowledgements


This work was supported in part by the Office of Naval Research and the Department of Energy.

DL/1113/87/2

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1

Approved For	
NAS	<input checked="" type="checkbox"/>
DEIC	<input type="checkbox"/>
U. S. Navy	<input type="checkbox"/>
By	
Distribution	
Approved For	
Dist	Approved For
A-1	



END

9-87

DTIC